

Message

---

**From:** Reinhart, Roger [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=218AC2FB5AD8481BBE8FD68E3F0D1E1F-RREINHAR]  
**Sent:** 7/19/2019 7:14:36 PM  
**To:** Konfirst, Matthew [konfirst.matthew@epa.gov]; Wilson, Jennifer [wilson.jenniferA@epa.gov]  
**Subject:** RE: Some More Edits to the RARE Grant Slides

Thanks Matt.

---

**From:** Konfirst, Matthew  
**Sent:** Friday, July 19, 2019 2:47 PM  
**To:** Reinhart, Roger <Reinhart.Roger@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>  
**Subject:** RE: Some More Edits to the RARE Grant Slides

Got it!

Matt Konfirst, Ph.D.  
Physical Scientist  
State & Watershed Partnerships Section (3WD31)  
State Assistance & Partnerships Branch  
Water Division  
US EPA, Region 3  
Phone: (215) 814-5801

---

**From:** Reinhart, Roger  
**Sent:** Friday, July 19, 2019 12:24 PM  
**To:** Konfirst, Matthew <konfirst.matthew@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>  
**Subject:** RE: Some More Edits to the RARE Grant Slides

Matt and Jenny. I also learned from Andrew Hartten that HFPO-DA (GenX) was first used at Washington Works around 2011, first in pilot-scale testing. GenX totally replaced PFOA in the Teflon line in 2013. Slide 4 needs to be revised to reflect this.

---

**From:** Wilson, Jennifer  
**Sent:** Friday, July 19, 2019 12:03 PM  
**To:** Konfirst, Matthew <konfirst.matthew@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>  
**Subject:** Some More Edits to the RARE Grant Slides

Hi Matt and Roger,

Matt, thank you for making edits to the slides. I greatly appreciate it. However, I fixed two more things on the attached slides:

- 1) Grammar on slide 5, so it now says, "How long will it take for GenX"
- 2) Spelling of tumorigenesis on slide 2. I looked up the word and I think that is correct even though the dictionary doesn't seem to like it.

Also, sorry I didn't do this last night. I spent almost the entire day working on briefing papers for the Administrator.

Finally, please let me know if you suggest any changes after you present. If you do, I will make them and e-mail them to Carole before I present.

Have a good weekend,  
Jenny

Jennifer Wilson, P.E.  
Environmental Engineer, Water Enforcement and Compliance Assurance Branch  
U.S. EPA Region 5  
ECW-15J  
77 West Jackson Blvd.  
Chicago, IL 60604

e-mail: [wilson.jennifera@epa.gov](mailto:wilson.jennifera@epa.gov)

Phone: (312)353-3115

Fax: (312)697-2751